

PS/2 Server Interface Module for NetDirector Matrix KVM Switches

MODEL NUMBER: B054-001-PS2



Description

Tripp Lite's PS/2 Server Interface Module connects to the PS/2 ports on a Server, and converts them to a single RJ45 connector. Ordinary Cat5e patch cables can then be used to connect the server to the switch ports on the Tripp Lite B060 and B064-Series NetDirector Matrix KVM switch. Use of Cat5e cables frees up space in the server cabinet that would be filled by traditional, thicker KVM cables.

Features

- Eliminates the need for thicker, heavier KVM cables
- Compact, lightweight design
- Plug and Play; no software required
- No power supply required
- Allows a Server/CPU to be located up to 500ft away from the KVM switch
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Highlights

- Needed to connect a PS/2 Server to the B060 and B064-Series NetDirector Matrix KVM switch via Cat5e cable
- Easy to install; no software needed
- Allows a maximum distance of 500ft from KVM to Server via Cat5 cable
- Compact and lightweight design
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

System Requirements

- Server or CPU with a HD15 connector and (2) PS/2 type connections
- A B060 and B064-Series NetDirector Matrix KVM Switch
- Cat5e/6 cable; up to 500ft when used with a B060 series KVM

Package Includes

- 1 PS/2 Server Interface Module

Specifications

OVERVIEW	
UPC Code	037332122957
Accessory Type	Server Interface Unit
Accessory Class	KVM Switch Accessories
PHYSICAL	
Shipping Dimensions (hwd / in.)	5.00 x 4.75 x 1.50
Shipping Dimensions (hwd / cm)	12.70 x 12.06 x 3.81
Shipping Weight (lbs.)	0.40

Shipping Weight (kg)	0.18
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	1-year limited warranty

1000 Eaton Boulevard
Cleveland, OH 44122
United States
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.