

## USB-C Cable (M/M), USB 2.0, 5A (100W) Rated, USB-IF Certified, 13 ft. (3.96 m)

MODEL NUMBER: U040-C13-C-5A



Connects a smartphone or other USB-C device to your laptop, MacBook, Chromebook or Ultrabook's USB-C or Thunderbolt 3 port.

### Features

**USB-C to USB-C Cable Connects 2 USB-C Devices, Including MacBooks and Smartphones** This 13-ft. (3.96 m) USB Type-C to Type-C cable allows you to connect one USB-C device to another. For instance, a laptop to a docking station, your smartphone to a wall charger, or a hard drive or flash drive to a computer or tablet. The USB-C to C cable is compatible with any device with a USB-C or Thunderbolt 3 port, including MacBooks, Ultrabooks and Chromebooks.

**PD Charging Cable Charges Devices and Transfers Data at USB 2.0 Speeds** The Power Delivery cable supports USB 2.0 data transfer rates up to 480 Mbps. It also provides power output up to 5 amps (100 watts), which is sufficient for fast-charging, syncing and powering most high-capacity devices, including the MacBook Pro. The USB Type-C to USB Type-C cable is backward compatible with previous USB generations, allowing you to use it with older equipment.

**Reversible USB-C Connectors Attach in Either Direction** Unlike traditional USB cables that connect in only one direction, the reversible USB-C male connectors plug into a USB-C or Thunderbolt 3 port in either direction for a fumble-free connection every time.

**USB-IF Certification Ensures Rigorous Testing and Top-of-the-Line Performance** This cable meets the high standards of USB-IF (USB Implementers Forum, Inc.), a non-profit organization consisting of companies that developed the USB specification. Receiving USB-IF certification means the U040-C13-C-5A meets the industry's highest environmental, mechanical and electrical standards. It operates with your USB peripherals, adapters and cables with top efficiency and safety.

## Specifications

| OVERVIEW   |                      |
|------------|----------------------|
| UPC Code   | 03733222732          |
| Technology | USB 2.0 (High Speed) |
| Cable Type | Passive              |

### Highlights

- Certified by USB-IF to ensure highest-grade construction and performance
- Supports USB 2.0 speeds up to 480 Mbps to ensure efficient data transfers
- Power Delivery cable provides 5A (100W) for fast-charging large-capacity devices
- Reversible USB-C plugs connect in either direction for immediate no-fuss use
- USB-C to USB-C cable is compatible with all USB-C and Thunderbolt 3 devices

### Applications

- Charge and sync a USB-C or Thunderbolt 3 mobile device from a USB-C wall charger up to 13-ft. (3.96 m) away
- Transfer data between an external hard drive or flash drive and your laptop or computer
- Connect your laptop to a docking station or hub with a USB-C or Thunderbolt 3 port

### System Requirements

Devices with USB-C or Thunderbolt 3 ports

### Package Includes

U040-C13-C-5A USB-C to USB-C Cable, USB-IF, M/M, 13 ft. (3.96 m)



Powering Business Worldwide

TRIPP LITE  
SERIES

| CONNECTIONS                         |                                     |
|-------------------------------------|-------------------------------------|
| Side A - Connector 1                | USB C (MALE)                        |
| Side B - Connector 1                | USB C (MALE)                        |
| Connector Plating                   | Nickel                              |
| Contact Plating                     | Gold                                |
| Connector Style                     | Straight                            |
| PHYSICAL                            |                                     |
| Material of Construction            | PVC                                 |
| Cable Jacket Color                  | Black                               |
| Cable Jacket Rating                 | VW-1                                |
| Cable Outer Diameter (OD)           | 5.0 mm                              |
| Cable Length (ft.)                  | 13                                  |
| Cable Length (m)                    | 3.96                                |
| Cable Length (in.)                  | 157                                 |
| Shipping Dimensions (hwd / in.)     | 9.00 x 7.00 x 0.50                  |
| Shipping Dimensions (hwd / cm)      | 22.86 x 17.78 x 1.27                |
| Shipping Weight (lbs.)              | 0.18                                |
| Shipping Weight (kg)                | 0.08                                |
| Unit Dimensions (hwd / in.)         | 0.000 x 0.000 x 0.000               |
| Unit Packaging Type                 | Polybag                             |
| ENVIRONMENTAL                       |                                     |
| Operating Temperature Range         | 14° to 140°F (-10° to 60°C)         |
| Storage Temperature Range           | -4° to 158°F (-20° to 70°C)         |
| Relative Humidity                   | 10% to 85% RH, Non-Condensing       |
| FEATURES & SPECIFICATIONS           |                                     |
| USB Specification                   | USB 2.0 (up to 480 Mbps)            |
| STANDARDS & COMPLIANCE              |                                     |
| Product Certifications              | USB-IF                              |
| Product Compliance                  | RoHS; CE (Europe); REACH; FCC (USA) |
| WARRANTY & SUPPORT                  |                                     |
| Product Warranty Period (Worldwide) | 3-year limited warranty             |



*Powering Business Worldwide*

TRIPP LITE  
SERIES

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.