



# USB-C Cable (M/M), USB 2.0, 5A (100W) Rated, USB-IF Certified, 13 ft. (3.96 m)

MODEL NUMBER: U040-C13-C-5A











Connects a smartphone or other USB-C device to your laptop, MacBook, Chromebook or Ultrabook's USB-C or Thunderbolt 3 port.

#### **Features**

USB-C to USB-C Cable Connects 2 USB-C Devices, Including MacBooks and Smartphones This 13-ft. (3.96 m) USB Type-C to Type-C cable allows you to connect one USB-C device to another. For instance, a laptop to a docking station, your smartphone to a wall charger, or a hard drive or flash drive to a computer or tablet. The USB-C to C cable is compatible with any device with a USB-C or Thunderbolt 3 port, including MacBooks, Ultrabooks and Chromebooks.

PD Charging Cable Charges Devices and Transfers Data at USB 2.0 SpeedsThe Power Delivery cable supports USB 2.0 data transfer rates up to 480 Mbps. It also provides power output up to 5 amps (100 watts), which is sufficient for fast-charging, syncing and powering most high-capacity devices, including the MacBook Pro. The USB Type-C to USB Type-C cable is backward compatible with previous USB generations, allowing you to use it with older equipment.

Reversible USB-C Connectors Attach in Either DirectionUnlike traditional USB cables that connect in only one direction, the reversible USB-C male connectors plug into a USB-C or Thunderbolt 3 port in either direction for a fumble-free connection every time.

**USB-IF Certification Ensures Rigorous Testing and Top-of-the-Line Performance**This cable meets the high standards of USB-IF (USB Implementers Forum, Inc.), a non-profit organization consisting of companies that developed the USB specification. Receiving USB-IF certification means the U040-C13-C-5A meets the industry's highest environmental, mechanical and electrical standards. It operates with your USB peripherals, adapters and cables with top efficiency and safety.

### **Highlights**

- Certified by USB-IF to ensure highest-grade construction and performance
- Supports USB 2.0 speeds up to 480 Mbps to ensure efficient data transfers
- Power Delivery cable provides 5A (100W) for fast-charging large-capacity devices
- Reversible USB-C plugs connect in either direction for immediate no-fuss use
- USB-C to USB-C cable is compatible with all USB-C and Thunderbolt 3 devices

### **Applications**

- Charge and sync a USB-C or Thunderbolt 3 mobile device from a USB-C wall charger up to 13-ft. (3.96 m) away
- Transfer data between an external hard drive or flash drive and your laptop or computer
- Connect your laptop to a docking station or hub with a USB-C or Thunderbolt 3 port

#### **System Requirements**

Devices with USB-C or Thunderbolt 3 ports

## **Package Includes**

U040-C13-C-5A USB-C to USB-C Cable, USB-IF, M/M, 13 ft. (3.96 m)

# **Specifications**

OVERVIEW	
UPC Code	037332222732
Technology	USB 2.0 (High Speed)
Cable Type	Passive





CONNECTIONS		
Side A - Connector 1	USB C (MALE)	
Side B - Connector 1	USB C (MALE)	
Connector Plating	Nickel	
Contact Plating	Gold	
Connector Style	Straight	
PHYSICAL		
Material of Construction	PVC	
Cable Jacket Color	Black	
Cable Jacket Rating	VW-1	
Cable Outer Diameter (OD)	5.0 mm	
Cable Length (ft.)	13	
Cable Length (m)	3.96	
Cable Length (in.)	157	
Shipping Dimensions (hwd / in.)	9.00 x 7.00 x 0.50	
Shipping Dimensions (hwd / cm)	22.86 x 17.78 x 1.27	
Shipping Weight (lbs.)	0.18	
Shipping Weight (kg)	0.08	
Unit Dimensions (hwd / in.)	0.000 x 0.000 x 0.000	
Unit Packaging Type	Polybag	
ENVIRONMENTAL		
Operating Temperature Range	14° to 140°F (-10° to 60°C)	
Storage Temperature Range	-4° to 158°F (-20° to 70°C)	
Relative Humidity	10% to 85% RH, Non-Condensing	
FEATURES & SPECIFICATIONS		
USB Specification	USB 2.0 (up to 480 Mbps)	
STANDARDS & COMPLIANCE		
Product Certifications	USB-IF	
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	3-year limited warranty	





1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark. All other trademarks are the property of their respective owners.