

## Dual-Port USB Car Charger for Tablets and Cell Phones with Qualcomm Quick Charge 3.0 Technology

MODEL NUMBER: U280-C02-S-QC3



Quick Charge 3.0 and auto-sensing USB-A ports allow you to charge 2 mobile devices, such as a tablet and cell phone, in your vehicle at the same time. Qualcomm Quick Charge 3.0 charges up to four times faster than conventional USB charging.

### Description

The U280-C02-S-QC3 Dual-Port USB Car Charger lets you quickly and safely charge two USB-powered mobile devices in your vehicle at the same time. You and your passenger can connect your cell phones simultaneously to ensure full charges when you reach your destination.

Also recommended for tablets, MP3 players and other USB devices, the U280-C02-S-QC3 features one Quick Charge 3.0 port for rapid charging of compliant devices. Available outputs include 3.6–6.5V 3A, 6.5–9V 2A and 9–12V 1.5A.

The second USB port features built-in auto-sensing technology that detects the connected device and automatically adjusts to the appropriate power level up to 5V 2.4A, perfect for fast-charging tablets and e-readers. It's also compatible with both Apple and Android, as well as other platforms.

This ultra-compact charger works with any standard 12V DC vehicle power outlet. A front-facing LED indicates successful charging.

### Features

#### Charge 2 Mobile Devices in Your Vehicle at the Same Time

- Recommended for cell phones, tablets, e-readers and MP3 players
- Qualcomm Quick Charge 3.0 Class A 5/9/12V technology
- Quick Charge 3.0 charges up to four times faster than conventional USB charging
- Auto-sensing USB port detects connected device and adjusts to proper power level up to 5V 2.4A
- Compatible with Apple, Android and other platforms
- Works with any standard 12V DC vehicle power outlet
- LED indicates successful charging

## Specifications

### OVERVIEW

### Highlights

- Qualcomm Quick Charge 3.0 Class A 5/9/12V technology
- Quick Charge 3.0 charges up to four times faster than conventional USB charging
- Ideal for cell phones, tablets, e-readers and MP3 players
- Auto-sensing port provides power output up to 5V 2.4A
- Works with any standard 12V DC vehicle power outlet
- Compatible with Apple, Android and other platforms

### Package Includes

- U280-C02-S-QC3 Dual-Port USB Car Charger for Tablets and Cell Phones with Qualcomm Quick Charge 3.0 Technology



Powering Business Worldwide



UPC Code	037332197399
Product Type	Car Charger
Charging Form Factor	Direct Plug-In
Device Compatibility	Phone; Tablet; Amazon Kindle
<b>INPUT</b>	
Nominal Input Voltage(s) Supported	12V DC
Input Plug Type	Car Auxiliary Power Outlet
<b>OUTPUT</b>	
Overload Protection	Yes
<b>CONNECTIONS</b>	
Number of Ports	2
Side A - Connector 1	Car Cigarette Lighter
Side B - Connector 1	(2) USB A (FEMALE)
<b>CHARGING</b>	
Number of Charging Ports	2
Total Charging Amps	3.5A
Total Charging Watts	30
Charging Method	USB
Charging Method Detail	Quick Charge 3.0
Charging Port Type	(2) USB A (FEMALE)
Charging Ports Details	USB-A: 3.6V~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A
Charging Ports / Amps	(1) 2.4A; (1) 3A / 2A / 1.5A
<b>PHYSICAL</b>	
Color	White
Shipping Dimensions (hwd / in.)	5.91 x 3.94 x 0.50
Shipping Dimensions (hwd / cm)	15.01 x 10.01 x 1.27
Shipping Weight (lbs.)	0.07
Shipping Weight (kg)	0.03
<b>ENVIRONMENTAL</b>	
Operating Temperature Range	32° to 104°F (0° to 40°C)
Storage Temperature Range	-4° to 140°F (-20° to 60°C)
Operating Humidity Range	30% to 90% RH, Non-Condensing



Powering Business Worldwide



Storage Humidity Range	10% to 90% RH, Non-Condensing
<b>FEATURES &amp; SPECIFICATIONS</b>	
GaN Technology	No
Overcurrent Protection	Yes
Overvoltage Protection	Yes
Quick Charge Compliant	3.0
<b>STANDARDS &amp; COMPLIANCE</b>	
Product Compliance	RoHS
<b>WARRANTY &amp; SUPPORT</b>	
Product Warranty Period (Worldwide)	2-year limited warranty

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.