SmartRack 48U Standard-Width Heavy-Duty Rack Enclosure Cabinet, White (SRH48UW)





















48 Rack Units

5000 lb. Stationary Load Rating

3500 lb. Rolling Load Rating

Heavy-Duty Casters

Locking Doors & Side

Panels

Accommodates
Standard
19-inch
Equipment

Toolless Mounting Slots

Adjustable Airflow
Rails with Exceeds
Easy-View Server OEM
Depth Index Requirements

Integrated Baying Tabs

Square Hole Mounting

- Adjustable Mounting Rails
- B Adjustable PDU Mounting Rails with Toolless Mounting Slots
- C Roof Panel (Removable)
- Front Door
 (Lockable/Removable/Reversible)
- **Split Rear Doors** (Lockable/Removable)
- Side Panels
 (Lockable/Removable)
- **G** Heavy-Duty Casters
- **Heavy-Duty Levelers**
- **(Line 1) Keys** (For doors and side panels)


Also Includes: Owner's manual, 2 stabilizing brackets and rackmount equipment mounting hardware (50 cage nuts, 50 mounting screws, 50 nylon cup washers)

SPECIFICATIONS

Model	SRH48UW
Rack Spaces	48U
Stationary Load Rating	5000 lb. / 2268 kg
Rolling Load Rating	3500 lb. / 1588 kg
Unit Dimensions [H x W x D]	90.16 x 23.64 x 44.09 in. / 2290 x 600 x 1119.78 mm
Shipping Dimensions [H x W x D]	96.5 x 26 x 45 in. / 2451 x 660 x 1143 mm
Unit Weight	512 lb. / 232 kg
Certifications	UL 2416, CSA C22.2 No 62368-1, IEC 60297-3-100, DIN 41494, IP20, TIA/EIA-310-D (Accommodates all standard 19-inch rackmount equipment regardless of vendor.)

^{*} Part numbers and specifications are subject to change.





Dimensions: INCHES [mm]

Learn more at Tripplite.Eaton.com

Eaton 1000 Eaton Boulevard Cleveland, OH 44122 United States Eaton.com

© 2024 Eaton All Rights Reserved Publication No. 24-06-034 September 2024

No part of this document may be reproduced in any way without the express written approval of Eaton.

Eaton reserves the right to change specifications without prior notice. Eaton is a registered trademark of Eaton. All other trademarks are properties of their respective companies.

Follow us on social media to get the latest product and support information.









